

山东冠川吊装工程公司

吊车出租 300 吨

电话：13853333222

吊车租赁 160 吨

电话：13806488099



淄博冠川吊装工程有限公司是一家专业从事吊车出租、吊车租赁、高空吊装、设备移位、设备吊装、桥梁、港口起重作业、塔吊装卸、桩机转运、吊车拖车出租等综合性现代化企业。公司现有 300 吨、160 吨、100 吨、50 吨、25 吨等各种吨位吊车。

公司拥有高级起重工、优秀吊车操作工数人，专业承接大型厂房构件吊装，大型路桥工程，桥板吊装，机械设备组装，大件设备、各型锅炉运输就位安装，为客户提供安全、优质、方便的起重、吊装、运输服务，全天 24 小时等您调度。

吊车租赁服务项目

风力发电机吊装 厂房吊装 行车安装 桥梁架设 厂房拆除 机器设备搬场(搬迁) 大件(散件)装卸船及驳运，超高层建筑的钢结构 标志广告牌吊装 机组的吊装 压机、中央空调、电梯、大罐的吊卸 盘路就位，液压顶升、提升。

专业承接大型厂房构件吊装，高空吊装，大型路桥工程，桥板吊装，机械设备组装，大件设备各型锅炉运输就位安装。

类别 Category	项目 Item	单位 Unit		
尺寸参数 Outline Dimensions	整机全长 Overall length	mm	18210	
重量参数 Weight	整机全宽 Overall width	mm	3000	
	整机全高 Overall height	mm	4000	
	行驶状态整机自重 Dead weight in travel statet	kg	79679	
	轴荷 Axle load	一、二轴 1st,2nd axle	kg	11625(1轴)
		三、四轴 3rd,4th axle	kg	11625(2-3轴)
五、六轴 5th,6th axle		kg	11201(4-7轴)	
动力参数 Power	上车发动机 Superstructure engine	额定功率 Engine rated output	kw/(r/min)	194/2100
		额定扭矩 Engine rated torque	n.m/(r/min)	1050/1400
		额定转速 Max.travel speed	r/min	2100
	下车发动机 Carrier engine	额定功率 Engine rated output	kw/(r/min)	420/1800
		额定扭矩 Engine rated torque	n.m/(r/min)	2700/1080
		额定转速 Max.travel speed	r/min	1800
行驶参数 Travel Performance	最高行驶速度 Max.travel speed	km/h	75	
	最小转弯直径 Min.turning diameter	m	24	
	最小离地间隙 Min.ground clearance	mm	330	
	接近角 Approach angle	°	19	
	离去角 Departure angle	°	19	
	制动距离(车速为 30km/h) Braking distance(at 30km/h)	m	≤10	
	最大爬坡度 Max.grade ability	%	40	
	百公里油耗 Fuel consumption of 100km	l	99	

类别 Category	项目 Item		单位 Unit		
主要性能参数 Lifting performance	最大额定总起重量 Max.total rated lifting capacity		t	300	
	最小额定工作幅度 Min.rated working radius		m	3	
	转台尾部回转半径(平衡重) Turning radius at turn table tail		mm	5640	
	最大起重力矩 Max.load moment	基本臂 Base boom	kN.m	9526	
		最长主臂 Full-extend boom	kN.m	4675	
	支腿距离 Outrigger span	纵向/横向 Longitudinal distance/Lateral distance	m	9.2/8.7(6.5)	
	起升高度 Lifting height	基本臂 Base boom	m	16.5	
		最长主臂 Full-extend boom	m	60.8	
		最长主臂+副臂 Full-extend boom+Jib (20m 副臂)	m	72.9 (15m 副臂)	
	起重臂长度 Boom length	基本臂 Base boom	m	15.4	
最长主臂 Full-extend boom		m	61		
最长主臂+副臂 Full-extend boom+Jib (20m 副臂)		m	76 (15m 副臂)		
工作速度参数 Working speed	起重臂变幅 Boom elevating	起臂 Boom raising	s	90	
	起重臂伸缩 Boom telescoping	全伸/全缩 Full-extending/Full-Retracting	s	480/480	
	最大回转速度 Max.swing speed		r/min	1.7	
	支腿伸缩时间 Outrigger extending and retracting time	水平支腿 Outrigger beam	同时伸 Extending synchronously	s	50
			同时缩 Retracting synchronously	s	40
		垂直支腿 Outrigger jack	同时伸 Extending synchronously	s	50
			同时缩 Retracting synchronously	s	45
	起升速度 (单绳、第四层)	主起升机构 Main winch	空载 No load	m/min	150
Hoisting speed(single rope,4th layer)	副起升机构 Aux.winch	空载 No load	m/min	150	